



ContractMaster

SOFTWARE

This document contains summary information on new features, late-breaking product information, updates, and troubleshooting tips not covered in the Trimble® ContractMaster documentation.

Introduction

These release notes describe the features and enhancements that are new in version 3000.1.6.227 of the ContractMaster, for the following components only:

- ContractMaster
- Enterprise Estimating
- LiveCount

For further support information, go to <http://mep.trimble.co.uk/support>.

New features and changes

The improvements that have been made to the ContractMaster software are summarised in the following table.

Upgrade procedure

Updates will be made available through Customer Services.

Version: 3000.1.6.227
Year: 2022
Month: September

Summary of features and changes

Fixes/Enhancements		
ID	Description	Area
MEPCM-2581	Resolved issue with fill down and kits incorrectly changing quantities	Estimating
MEPCM-2585	Resolved an issue whereby Client Schedule estimates can be incorrectly updated using LiveCount	LiveCount
MEPCM-2582	Resolved a screen refresh issue sometimes seen when using LiveCount	LiveCount
MEPCM-2584	Improved LiveCount login flow to keep the user signed into LiveCount once logged in, reducing LiveCount login prompts	LiveCount

Legal notices

Trimble Inc.
MEP Division
10368 Westmoor Drive
Westminster, Colorado 800021
USA
800-361-1249 (toll free in USA)
+1-937-245-5154 Phone
+1-937-233-9441 Fax
www.trimble.com

Copyright and trademarks

© 2022, Trimble Inc. All rights reserved.

Trimble, and the Globe & Triangle logo are trademarks of Trimble Navigation Limited, registered in the United States and in other countries.

Microsoft and Windows are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners.

Release notice

This is the September 2022 version of the Release Notes. It applies to version 3000.1.6.227 of the ContractMaster software.